

RESULTS OF THE NINETEENTH ANNUAL IDAHO RARE PLANT CONFERENCE

Sponsored by the
IDAHO NATIVE PLANT SOCIETY

February 11-12, 2003
Boise, Idaho

THE IDAHO NATIVE PLANT SOCIETY RARE PLANT LIST

The Idaho Rare Plant List has three main divisions:

GLOBALLY RARE = Species and varieties or subspecies (taxa) rare throughout their range.

STATE RARE = Taxa rare within the political boundaries of Idaho, but more common elsewhere.

REVIEW = Taxa that may be of conservation concern in Idaho, but which lack sufficient information to base a recommendation regarding their appropriate classification.

Global conservation ranks used to assign taxa to the first two groups are based on a system developed by The Nature Conservancy and used by the Natural Heritage and Conservation Data Center network NatureServe). Using this one-through-five ranking system, the INPS considers taxa ranked G1-G3 to be GLOBALLY RARE, while those ranked G4 or G5 get assigned to one of the STATE RARE categories.

CONTENTS

GLOBALLY RARE SPECIES	1
Definitions	1
2003 Status Changes	1
Global Priority 1	2
Global Priority 2	2
Global Priority 3	2
INPS Recommendations to the U.S. Fish and Wildlife Service	3
STATE RARE SPECIES	4
Definitions	4
Taxa Believed to be Extirpated From Idaho	4
State Priority 1	4
State Priority 2	5
Sensitive	5
Monitor	6
REVIEW SPECIES	7
TAXA DROPPED FROM INPS LIST - 2003	8

GLOBALLY RARE SPECIES

Globally Rare species are assigned to one of four INPS categories: Global Priority 1 (G1), Global Priority 2 (G2), Global Priority 3 (G3), or Globally Extinct (GX), although at this time, no Globally Extinct species occur on the INPS rare plant list. The Global ranks are defined below. In addition, each globally rare species that is not currently listed as Endangered or Threatened under the federal Endangered Species Act receives a Threat Priority rank. This one-through-twelve rank is based on the old U.S. Fish and Wildlife Service (USFWS) Listing Priority criteria explained below. In the past, these rankings have helped the INPS make and prioritize recommendations to the USFWS for the federal Candidate list, as well as other conservation efforts.

DEFINITIONS

USFWS Status:

ENDANGERED = taxa in danger of extinction throughout all or a significant portion of their range.

THREATENED = taxa likely to become endangered in the foreseeable future throughout all or a significant portion of their range.

CANDIDATE = taxa for which substantial biological information exists on file to support a proposal to list as Endangered or Threatened, but no proposal has yet been published in the Federal Register.

Global Rank:

G = Global rank indicator; denotes rank based on rangewide status.

T = Trinomial rank indicator; denotes rangewide status of variety or subspecies.

X = Considered extinct throughout its range.

1 = Critically imperiled because of extreme rarity or because of some factor of its biology making it especially vulnerable to extinction (typically 5 or fewer occurrences).

2 = Imperiled because of rarity or because of other factors demonstrably making it very vulnerable to extinction (typically 6 to 20 occurrences).

3 = Rare or uncommon, but not imperiled (typically 21 to 100 occurrences).

4 = Not rare and apparently secure, but with cause for long-term concern (usually more than 100 occurrences).

5 = Demonstrably widespread, abundant, and secure.

Threat Priority:

<u>Priority</u>	<u>Taxonomy</u>	<u>Threat Magnitude</u>	<u>Threat Immediacy</u>
1	Monotypic genus	High	Imminent
2	Species	High	Imminent
3	Subspecies/Variety	High	Imminent
4	Monotypic genus	High	Non-imminent
5	Species	High	Non-imminent
6	Subspecies/Variety	High	Non-imminent
7	Monotypic genus	Low	Imminent
8	Species	Low	Imminent
9	Subspecies/Variety	Low	Imminent
10	Monotypic genus	Low	Non-imminent
11	Species	Low	Non-imminent
12	Subspecies/Variety	Low	Non-imminent

2003 STATUS CHANGES

An asterisk (*) preceding a taxon name indicates a change in Status or Threat Priority was made during the 2003 Idaho Rare Plant Conference. A plus mark (+) indicates a new taxon added to the Idaho list during the conference.

GLOBAL PRIORITY 1

(global rank & threat priority in parentheses)

ASTRAGALUS CUSICKII VAR. PACKARDIAE (G4/5T1, 3)
BOTRYCHIUM LINEARE (*CANDIDATE*; G1, ?)
CAREX ABORIGINUM (G1, 2)
CASTILLEJA CHRISTII (*CANDIDATE*; G1, 8)
CHRYSOTHAMNUS PARRYI SSP. MONTANUS (G5/T1, 12)
CLADONIA ANDEREGGII (G1, ?) (lichen)
MIMULUS HYMENOPHYLLUS (G1, 11)
MIMULUS AMPLIATUS (G1, 9)
PHACELIA INCONSPICUA (G1, 5)
PHLOX IDAHONIS (G1, 2)
PHYSARIA DIDYMOCARPA VAR. LYRATA (G5/T1, 3)
SPHAEROCARPOS HIANS (G1, ?) (liverwort)

GLOBAL PRIORITY 2

ANTENNARIA ARCUATA (G2, 5)
ASTER JESSICAE (G2, 2)
ASTRAGALUS ANSERINUS (G2, 8)
ASTRAGALUS DIVERSIFOLIUS (G2, 11)
ASTRAGALUS MULFORDIAE (G2, 2)
ASTRAGALUS VEXILLIFLEXUS VAR. NUBILUS (G4/T2, 12)
BOTRYCHIUM PARADOXUM (G2, ?)
CALOCHORTUS MACROCARPUS VAR. MACULOSUS (G5/T2, 3)
CAREX IDAHOA (G2, 9)
CLADONIA LUTEOALBA (G2, 8) (lichen)
COLLOMIA DEBILIS VAR. CAMPORUM (G5/T3, 12)
CREPIS BAKERI SSP. IDAHOENSIS (G4/T2, 3)
CYMOPTERUS ACAULIS VAR. GREELEYORUM (G5/T2, 12)
DERMATOCARPON LORENZIANUM (G2, 11) (lichen)
DOUGLASIA IDAHOENSIS (G2, 11)
DRABA TRICHOCARPA (G2, 11)
ERIOGONUM CAPISTRATUM VAR. WELSHII (G4/T2, 9)
ERIOGONUM MELEDONUM (G2, 11)
ERIOGONUM SHOCKLEYI VAR. PACKARDIAE (G5/T2, 9)
GRIMMIA BRITTONIAE (G2, 11) (moss)
HAPLOPAPPUS LIATRIFORMIS (G2, 2)
HOWELLIA AQUATILIS (*THREATENED*; G2)
LEPIDIUM PAPILLIFERUM
(*PROPOSED ENDANGERED*; G2, 2)

LEPTODACTYLON GLABRUM (G2, 11)
LEPTODACTYLON PUNGENS SSP. HAZELIAE (G5/T2, 12)
LOMATIUM PACKARDIAE (G2, 8)
MENTZELIA MOLLIS (G2, 2)
MIRABILIS MACFARLANEI (*THREATENED*; G2)
MUSINEON LINEARE (G2, 11)
ORTHOTRICHUM HOLZINGERI (G2, ?) (moss)
PENSTEMON COMPACTUS (G2, 8)
PENSTEMON IDAHOENSIS (G2, 11)
POA ABREVIATA SPP. MARSHII (G5/T2, 12)
PRIMULA ALCALINA (G2, 8)
RUBUS BARTONIANUS (G2, 8)
SAXIFRAGA BRYOPHORA VAR. TOBIASIAE (G5/T2, 6)
SILENE SPALDINGII (*THREATENED*; G2)
SPIRANTHES DILUVIALIS (*THREATENED*; G2)
*STANLEYA CONFERTIFLORA (G2, 2) (from Global Priority 1)
TEXOSPORIUM SANCTI-JACOBI (G2, 1) (lichen)
TRIFOLIUM PLUMOSUM VAR. AMPLIFOLIUM (G4/T2, 6)
XANTHOPARMELIA IDAHOENSIS (G2, 8) (lichen)

GLOBAL PRIORITY 3

ALLIUM AASEAE (G3, 8)
ALLIUM MADIDUM (G3, 8)
ALLIUM TOLMIEI VAR. PERSIMILE (G4/T3, 12)
ASTRAGALUS AMBLYTROPIS (G3, 11)
ASTRAGALUS AMNIS-AMISSI (G3, 11)
ASTRAGALUS AQUILONIUS (G3, 5)
ASTRAGALUS ATRATUS VAR. INSEPTUS (G4/T3, 12)
ASTRAGALUS JEJUNUS VAR. JEJUNUS (G3/T3, 9)
ASTRAGALUS ONICIFORMIS (G3, 11)
ASTRAGALUS PAYSONII (G3, 11)
ASTRAGALUS STERILIS (G3, 11)
ASTRAGALUS YODER-WILLIAMSII (G3, 11)
BOTRYCHIUM ASCENDENS (G2G3, 8)
BOTRYCHIUM CRENULATUM (G3, 11)
BOTRYCHIUM MONTANUM (G3, 8)
BOTRYCHIUM PEDUNCULOSUM (G2G3, 5)
BRYUM CALOBRYOIDES (G3, 2) (moss)
CALAMAGROSTIS TWEEDYI (G3, 8)
CALOCHORTUS NITIDUS (G3, 8)
CAMISSONIA PALMERI (G3, 8)
CARDAMINE CONSTANCEI (G3, 8)
CASTILLEJA PULCHELLA (G3, 11)

GLOBAL PRIORITY 3 (continued)

*CHAENACTIS CUSICKII (G3, 2) (from threat level 8)
CIRSIUM BREVIFOLIUM (G3, 5)
COLLEMA CURTISPORUM (G3, 11) (lichen)
CORYDALIS CASEANA VAR. HASTATA (G4/T3, 12)
CRYPTANTHA CAESPITOSA (G3, 2)
CYMPTERUS DAVISII (G3, 11)
CYMPTERUS DOUGLASSII (G3, 11)
DASYNOTUS DAUBENMIREI (G3, 10)
ERIGERON SALMONENSIS (G3, 11)
ERIOGONUM OCHROCEPHALUM VAR. CALCAREUM
(G4/T3, 12)
GRINDELIA HOWELLII (G3, 5)
HACKELIA CRONQUISTII (G3, 11)
HACKELIA DAVISII (G3, 11)
HACKELIA OPHIOBIA (G3, 11)
HAPLOPAPPUS HIRTUS VAR. SONCHIFOLIUS
(G4/T3, 6)
HAPLOPAPPUS INSECTICRURIS (G3, 11)
HAPLOPAPPUS RADIATUS (G3, 11)

LEPIDIUM DAVISII (G3, 11)
LESQUERELLA PAYSONII (G3, 11)
LOMATIUM SALMONIFLORUM (G3, 8)
MIMULUS PATULUS (G3, 2)
OENOTHERA PSAMMOPHILA (G3, 8)
OXYTROPIS BESSEYI VAR. SALMONENSIS
(G5/T3, 12)
PENSTEMON LEMHIENSIS (G3, 11)
*PHACELIA MINUTISSIMA (G3, 5) (from threat level 11)
SCIRPUS ROLLANDII (G3, 8)
(=SCIRPUS PUMILUS SSP. ROLLANDII)
SULLIVANTIA HAPEMANII VAR. HAPEMANII
(G3/T3, 12)
SYNTHYRIS PLATYCARPA (G3, 11)
TAUSCHIA TENUISSIMA (G3, 11)
THELYPODIUM REPANDUM (G3, 11)
THLASPI IDAHOENSE VAR. AILEENIAE (G4/T3, 12)
TRIFOLIUM DOUGLASII (G3, 2)
TRIFOLIUM OWYHEENSE (G2G3, 2)
WALDSTEINIA IDAHOENSIS (G3, 11)

INPS RECOMMENDATIONS TO THE U.S. FISH AND WILDLIFE SERVICE

1. ASTRAGALUS MULFORDIAE: INPS committee will assemble information for a listing package and submit to USFWS.
2. ASTER JESSICAE and HAPLOPAPPUS LIATRIFORMIS: INPS committee will assemble information for a Palouse Prairie listing package and submit to USFWS.

STATE RARE SPECIES

State Rare species are assigned to one of five categories: Possibly Extirpated, State Priority 1, State Priority 2, Sensitive, or Monitor.

DEFINITIONS

Possibly Extirpated = Taxa known in Idaho only from historical (pre-1920) records or otherwise considered extirpated from the state.

State Priority 1 = Taxa in danger of becoming extinct or extirpated from Idaho in the foreseeable future if identifiable factors contributing to their decline continue to operate. These are taxa whose populations are present only at critically low levels or whose habitats have been degraded or depleted to a significant degree.

State Priority 2 = Taxa likely to be classified as Priority 1 within the foreseeable future in Idaho, if factors contributing to their population decline or habitat degradation or loss continue.

Sensitive = Taxa with small populations or localized distributions within Idaho that presently do not meet the criteria for classification as Priority 1 or 2, but whose populations and habitats may be jeopardized without active management or removal of threats.

Monitor = Taxa common within a limited range in Idaho, as well as those which are uncommon, but have no identifiable threats (e.g., certain alpine taxa).

TAXA BELIEVED TO BE EXTIRPATED FROM IDAHO

ASTRAGALUS RIPARIUS
*ERYNGIUM ARTICULATUM (from Review list)
*JUNCUS BOLANDERI (from Review list)
NYMPHAEA LEIBERGII
PAPAVER RADICATUM VAR. KLUANENSE
(=PAPAVER KLUANENSE)
VIBURNUM OPULUS VAR. AMERICANUM

STATE PRIORITY 1

ANDROMEDA POLIFOLIA
ANGELICA KINGII
ARTEMISIA CAMPESTRIS SSP. BOREALIS VAR.
PURSHII
*ASPLENIUM SEPTENTRIONALE (from Review list)
ASPLENIUM TRICHOMANES
ASPLENIUM TRICHOMANES-RAMOSUM
(=ASPLENIUM VIRIDE)
ASTRAGALUS BOURGOVII
ASTRAGALUS GILVIFLORUS
ASTRAGALUS MICROCYSTIS
ASTRAGALUS TETRAPTERUS
ASTRAGALUS VEXILLIFLEXUS VAR. VEXILLIFLEXUS
BLEPHARIDACHNE KINGII
BOUPELLOU GRACILIS
BUXBAUMIA APHYLLA (moss)
CAREX CHORDORRHIZA

CAREX COMOSA
CAREX LACUSTRIS
CAREX OCCIDENTALIS
CEANOETHUS PROSTRATUS
CETRARIA SEPINCOLA (lichen)
CHRYSOSPLENIUM TETRANDRUM
CLADONIA BELLIDIFLORA (lichen)
CLADONIA UNCIALIS (lichen)
CLAYTONIA MULTISCAPA
(= C. LANCEOLATA VAR. FLAVA)
CLEOMELLA PLOCASPERMA
CORNUS NUTTALLII
CUSCUTA DENTICULATA
CYPRIPEDIUM PARVIFLORUM VAR. PUBESCENS
DOWNINGIA INSIGNIS
DROSERIA INTERMEDIA
ERIOGONUM DESERTORUM
ERIOPHORUM VIRIDICARINATUM
*ERYNGIUM ALISMAEFOLIUM (from Review list)
*EUPATORIUM MACULATUM (from Review list)
LEWISIA KELLOGGII
LOMATOGONIUM ROTATUM
LUDWIGIA POLYCARPA
MAIANTHEMUM DILATATUM
MEESIA LONGISETA (moss)
MIMULUS ALSINOIDES
ORTHOTRICHUM HALLII (moss)

STATE PRIORITY 1 (continued)

OXALIS TRILLIIFOLIA
PETASITES FRIGIDUS VAR. PALMATUS
PILOPHORUS CLAVATUS (lichen)
POLYPODIUM GLYCYRRHIZA
PRIMULA INCANA
PSATHYROTES ANNUA
RHYNCHOSPORA ALBA
RIBES SANGUINEUM
RUBUS SPECTABILIS
RUPERTIA PHYSODES (=PSORALEA PHYSODES)
SCIRPUS HUDSONIANUS
SILENE URALENSIS SSP. MONTANA
SPIRANTHES PORRIFOLIA
SPOROBOLUS ASPER
TEUCRIUM CANADENSE VAR. OCCIDENTALE
THALICTRUM DASYCARPUM
THAMNOLIA SUBULIFORMIS (lichen)
THELYPTERIS NEVADENSIS
TRIANTHA OCCIDENTALIS SSP. BREVISTYLA
(= TOFIELDIA GLUTINOSA VAR. BREVISTYLA)
ULOTA MEGALOSPORA (moss)
VIOLA SELKIRKEYI

STATE PRIORITY 2

ALLENROLFEA OCCIDENTALIS
ALLIUM ANCEPS
BOTRYCHIUM SIMPLEX
BUXBAUMIA VIRIDIS (moss)
CAREX INCURVIFORMIS VAR. INCURVIFORMIS
CAREX PAUPERCUA
CLADONIA TRANSCENDENS (lichen)
CRYPTANTHA BREVIFLORA
CYPRIPIEDIUM FASCICULATUM
DIMERESIA HOWELLII
DRABA FLADNIZENSIS
DRABA GLOBOSA (= DRABA APICULATA)
ELEOCHARIS TENUIS
EPIPACTIS GIGANTEA
ERIOGONUM SHOCKLEYI VAR. SHOCKLEYI
GAULTHERIA HISPIDULA
GENTIANELLA TENELLA
HOOKERIA LUCENS (moss)
HYPERICUM MAJUS
HYPOGYMNIA INACTIVA (lichen)
IPOMOPSIS POLYCLADON (= GILIA POLYCLADON)
KOBRESIA SIMPLICIUSCULA

LOBARIA LINITA (lichen)
LOBARIA SCROBICULATA (lichen)
*LYCOPODIELLA INUNDATA (from State Priority 1)
NASSELLA VIRIDULA (= STIPA VIRIDULA)
PENSTEMON JANISHIAE
PENTAGRAMMA TRIANGULARIS SSP. TRIANGULARIS
PERAPHYLLUM RAMOSISSIMUM
PHEGOPTERIS CONNECTILIS
(= THELYPTERIS PHEGOPTERIS)
PICEA GLAUCA
PILOPHORUS ACICULARIS (lichen)
PIPTATHERUM MICRANTHUM
(= ORYZOPSIS MICRANTHA)
PLATISMATIA HERREI (lichen)
POLYSTICHUM BRAUNII
RAMALINA POLLINARIA (lichen)
RHIZOMNIUM NUDUM (moss)
SALIX FARRIAE
SALIX GLAUCA
SALIX PEDICELLARIS
SALIX PSEUDOMONTICOLA
SCHEUCHZERIA PALUSTRIS
SPHAEROMERIA POTENTILLOIDES
SPHAGNUM MENDOCINUM (moss)
TOWNSENDIA SCAPIGERA
VACCINIUM OXYCOCCOS

STATE SENSITIVE

AGOSERIS LACKSCHEWITZII
ALLIUM VALIDUM
ALLOTROPA VIRGATA
ASTER JUNCIFORMIS
ASTRAGALUS BISULCATUS VAR. BISULCATUS
*ASTRAGALUS CONJUNCTUS (from Review list)
ASTRAGALUS DRUMMONDII
ASTRAGALUS NEWERRYII VAR. CASTOREUS
BETULA PUMILA
BLECHNUM SPICANT
BOTRYCHIUM LANCEOLATUM VAR. LANCEOLATUM
BOTRYCHIUM MINGANENSE
BOTRYCHIUM PINNATUM
BRYORIA TORTUOSA (lichen)
CAMISSONIA PTEROSPERMA
CAREX BREWERI VAR. PADDOENSIS
CAREX LEPTALEA
CAREX LIVIDA
CAREX ROSTRATA
CAREX STRAMINIFORMIS

STATE SENSITIVE (continued)

CAREX TUMULICOLA
 CATAPYRENIUM CONGESTUM (lichen)
 CETRARIA SUBALPINA (lichen)
 *CHAENACTIS STEVIOIDES (from State Priority 2)
 CICUTA BULBIFERA
 CORYPHANTHA VIVIPARA
 DIPHASIASTRUM SITCHENSE
 (= LYCOPODIUM SITCHENSE)
 DOWNINGIA BACIGALUPII
 DRABA INCERTA
 DRYOPTERIS CRISTATA
 EATONELLA NIVEA
 GLYPTOPLEURA MARGINATA
 *HAPLOPAPPUS UNIFLORUS VAR. HOWELLII (from
 Review list) (=PYRROCOMA HOWELLII)
 HELODIUM BLANDOWII (moss)
 *HYMENOXYIS COOPERI (from Review list)
 IRIS VERSICOLOR
 LUPINUS UNCIALIS
 LYCOPODIUM DENDROIDEUM
 MERTENSIA BELLA
 NEMACLADUS RIGIDUS
 *OROBANCHE PINORUM (from Review list)
 PETERIA THOMPSONIAE
 PHACELIA LYALLII
 POLYSTICHUM KRUCKEBERGII
 PSEUDOCYPHELLARIA ANOMALA (lichen)
 PSILOCARPUS TENELLUS
 RANUNCULUS PYGMAEUS
 ROMANZOFFIA SITCHENSIS
 SALICORNIA RUBRA
 SALIX CANDIDA
 SANICULA GRAVEOLENS
 SANICULA MARILANDICA
 SAXIFRAGA CERNUA
 SCHISTOSTEGA PENNATA (moss)
 SCIRPUS SUBTERMINALIS
 SPHAEROPHORUS GLOBOSUS (lichen)
 STREPTOPUS STREPTOPOIDES VAR. BREVIPES

TELLIMA GRANDIFLORA
 TRIENTALIS ARCTICA
 TRIPTEROCLADIUM LEUCOCLADULUM (moss)
 VALLISNERIA AMERICANA

STATE MONITOR

ASTRAGALUS LEPTALEUS
 *ASTRAGALUS PURSHII VAR. OPHIOGENES (from
 Sensitive)
 CAMASSIA CUSICKII
 *CAREX BUXBAUMII (from Sensitive)
 CAREX CALIFORNICA
 CAREX FLAVA
 CAREX HENDERSONII
 CHRYSOTHAMNUS NAUSEOSUS SSP. NANUS
 *CRYPTANTHA SERICEA (from Review list)
 CYPERUS RIVULARIS
 DAMASONIUM CALIFORNICUM
 (=MACHAEROCARPUS CALIFORNICUS)
 DODECATHEON DENTATUM
 EBUROPHYTON AUSTINIAE
 EPILOBIUM PALUSTRE
 ERIGERON HUMILIS
 GENTIANELLA PROPINQUA
 HALIMOLOBOS PERPLEXA VAR. PERPLEXA
 IVESIA TWEEDYI
 MIMULUS CLIVICOLA
 PARNASSIA KOTZEBUEI VAR. KOTZEBUEI
 PEDIOCACTUS SIMPSONII
 PETASITES SAGITTATUS
 *RANUNCULUS GELIDUS (from State Priority 1)
 RIBES WOLFII
 SAXIFRAGA ADSCENDENS
 SEDUM BORSCHII
 SILENE SCAPOSA VAR. LOBATA
 TELESONIX JAMESII
 THELYPODIUM LACINIATUM VAR.
 STREPTANTHOIDES
 TRIENTALIS LATIFOLIA

REVIEW SPECIES

Review = Taxa that may be of conservation concern in Idaho, but which lack sufficient information to base a recommendation regarding their appropriate classification.

+ACORUS AMERICANUS
AGASTACHE CUSICKII
AMPHIDIUM CALIFORNICUM (moss)
ANEMONE CYLINDRICA
ANDREAE HEINEMANII (moss)
ANTIRRHINUM KINGII
ARABIS HASTATULA
ARABIS LASIOCARPA
*ARGEMONE MUNITA SSP. ROTUNDATA (from Sensitive)
*ARNICA ALPINA VAR. TOMENTOSA (from Sensitive)
ASPICILIA FRUTICULOSA (lichen)
+ASTRAGALUS SHULTZIORUM
BACOPA ROTUNDIFOLIA
+BIDENS BECKII
*BOTRYCHIUM CAMPESTRE (from Global Priority 3)
BOTRYCHIUM LUNARIA
BOTRYCHIUM MICHIGANENSE
+BROMUS ALEUTENSIS
CALANDRINIA CILIATA
CALICIUM CORYNELLUM (lichen)
+CALLITRICHE MARGINATA
+CALLITRICHE TROCHLEARIS
+CAMISSONIA BOOTHII SSP. BOOTHII
CAREX ABRUPTA
CAREX AENEA
+CAREX BIPARTITUS
CAREX CRAWEI
+CAREX DURIUSCULA
CAREX EBENEA
CAREX LUZULINA VAR. ATROPURPUREA
CAREX MISANDRA
+CAREX PALLESCENS
CAREX XERANTICA
CASSIOPE MERTENSIANA SSP. MERTENSIANA
+CASTILLEJA OCCIDENTALIS
CASTILLEJA PECKIANA
CERCOCARPUS MONTANUS
CRASSULA AQUATICA (= TILLAEA AQUATICA)
+CREPIS PLEUROTA
+CRYPTANTHA CELOSIODES
CRYPTANTHA PROPRIA
CRYPTANTHA SIMULANS
CYMOPTERUS IBAPENSIS
CYPERUS ODORATUS
DENDROALSIA ALBIETINA (moss)
DRABA OREIBATA VAR OREIBATA
EPILOBIUM CANUM VAR. GARRETTII
(=ZAUSCHNERIA GARRETTII)
ERIOGONUM HOOKERI
ERIOGONUM SP. NOVUM (WAR EAGLE MOUNTAIN)
+ERIOGONUM SP. NOVUM (RAILROAD CANYON)
+ERIOPHORUM POLYSTACHYON
+EUTHAMIA GRAMINIFOLIA
(=SOLIDAGO GRAMINIFOLIA)
FUSCOPANNARIA SAUBINETII (lichen)
+GEUM ROSSII VAR. ROSSII
HACKELIA SP. NOVA (SLEEPING DEER MOUNTAIN)
HAPLOPAPPUS BLOOMERI
HAPLOPAPPUS INTEGRIFOLIUS SSP.
INTEGRIFOLIUS
HAPLOPAPPUS RACEMOSUS VAR. GLOMERELLUS
HETEROTHECA BARBATA
HETEROTHECA VILLOSA VAR. DEPRESSA
+HIEROCHLOE ODORATA
JUNCUS BRYOIDES
JUNCUS HALLI I
JUNCUS HEMIENDYTUS VAR. ABJECTUS
+JUNCUS PHAEOCEPHALUS
JUNCUS TIEHMII
JUNCUS TWEEDYI
JUNCUS VASEYI
KOBRESIA BELLARDII
LATHYRUS POLYPHYLLUS
LIMOSELLA ACAULIS
LOMATIUM IDAHOENSE
MENTZELIA CONGESTA
MIMULUS EVANESCENS
MIMULUS RINGENS
+MINUARTIA STRICTA (UNDETERMINED VARIETY)
+MITELLA NUDA
MUHLENBERGIA GLOMERTATA
*MUHLENBERGIA RACEMOSA (from State Priority 1)
OROGENIA FUSIFORMIS
ORTHOTRICHUM CONSIMILE (moss)
ORTHOTRICHUM STRIATUM (moss)
PELTIGERA PACIFICA (lichen)
PENSTEMON SEORSUS

REVIEW SPECIES (continued)

PLANTAGO ERIOPODA
+PLANTAGO TWEEDYI
PLATANThERA OBTUSATA
PLATISMATIA STENOPHYLLA (lichen)
+POA PAUCISPICULA
PORELLA NAVICULARIS (liverwort)
POTAMOGETON DIVERSIFOLIUS
POTENTILLA BIPINNATIFIDA
POTENTILLA PARADOXA
PRIMULA BROADHEADEA
PRIMULA CUSICKIANA
PRIMULA WILCOXIANA
RACOMITRIUM VARIUM (moss)
RAMALINA FARINACEA (lichen)
RAMALINA SUBLEPTOCARPA (lichen)
SAGITTARIA RIGIDA
SCLEROLINON DIGYNUM
SEDUM RUPICOLUM
SCAPANIA APICULATA (liverwort)
SCAPANIA BOLANDERI (liverwort)
SILENE SUKSDORFII
SOLANUM HETERODOXUM
SOLIDAGO SPECTABILIS
+SPARGANIUM CHLOROCARPUM
STANLEYA TOMENTOSA VAR. RUNCINATA
TAYLORIA SERRATA (moss)
THELYPODIUM FLEXUOSUM
THELYPODIUM PANICULATUM
TRICHOSTEMA OBLONGUM
TRIFOLIUM LONGIPES VAR. MULTIPEDUNCULATUM
ULOTA CURVIFOLIA (moss)
+UTRICULARIA GIBBA
VIOLA SEPTENTRIONALIS
XANTHOPARMELIA CAMTSCHADALIS (lichen)

TAXA DROPPED FROM INPS LIST – 2003

LESQUERELLA MULTICEPS – habitat secure and found to be more common than previously known
STYLOCLINE FILAGINEA - found to be more common than previously known
HYMENOXYIS RICHARDSONII - not known to occur in Idaho (misidentified specimen)
RAMALINA FARINACEA (lichen) - found to be more common than previously known
TRIFOLIUM MICRODON - not known to occur in Idaho (misidentified specimens)